

KX-NT300 Series

IP Telephones

















Enhanced Communications Solutions

Powerful Communication Features that Fit Your Budget.

Manage communication between multiple locations or remote employees with a system that delivers real value now... and real flexibility for the future.



The Panasonic IP telephony solution integrates your remote employees and locations by giving them easy access to your corporation's central communication hub, letting them enjoy the feature-rich capabilities of their Panasonic Communications System.

Combine the power of your data network with the convenience of the business phone.

Because the Panasonic IP telephony system uses what's called Powerover-Ethernet, or PoE, you don't need a phone Jack. You can move your





Powerful, Versatile Connectivity


Communication Assistant Productivity Application Suite

Harness the power of your Panasonic Telephone System with our groundbreaking Communication Assistant. This highly-intuitive application suite for the NCP and TDE platforms provides the following key features:

- Seamless Networking & Searching Across Multiple Platforms
- Enhanced Voice Messaging (VMA)
- · Versatile, Intuitive Conferencing Capability
- · Instant Messaging (Chat) and Presence Capabilities
- Microsoft® Outlook®, CRM (TAPI) and Third Party Database (LDAP) Contact Integration

In addition, you can access presence information on up to 8 other Panasonic PBXs and search and update contacts, initiate chat or make and transfer calls across the network (server version required).

Communication Assistant productivity software offers an affordable, flexible and reliable solution to help your business lower costs, increase revenue, improve customer satisfaction and increase employee productivity.



Other Accessories Available:



KX-NT303Optional Module
12 Additional Programmable
Key Module



KX-NT305Optional Module
60 Additional Programmable
Key Module (KX-NT346 & NT343 only)



KX-NT307 Bluetooth ModuleIs available for wireless headset communication.

KX-NT300 Series Specifications

	KX-NT366	KX-NT346	KX-NT343	KX-NT321
Display (LCD) Lines/Characters	6/24	6/24	3/24	1/16
LCD Backlit	Yes	Yes	Yes	Yes
Headset Jack	Yes	Yea	Yes	Yes
Message Waiting LED	Yes	Yes	Yes	Yes
Speakerphone	Digital Duplex	Digital Duplex	Digital Duplex	Yes
Personal Speed Dial	100	100	100	100
Alphanumeric Directory Search	Yes	Yes	Yes	Yes
Call Log (Incoming)	10 (100 MAX)	10 (100 MAX)	10 (100 MAX)	10 (100 MAX)
Call Log (Outgoing)	5 (100 MAX)	5 (100 MAX)	5 (100 MAX)	5 (100 MAX)
Function Button	48 (12x4)	24	24	8
Interface for CTI (3rd Party)	PC LAN Port	PC LAN Port	PC LAN Port	PC LAN Port
Add-on Key Module/DSS Console	2	Yes	Yes	2
Bluetooth Module	Yes	Yes	Yes	4
Self Labeling	Yea	-	D D	2
Navigation Key	Yes	Yes	Yes	Yes
Ringer Tone/Melody	30	30	30	10
Wall Mounting	Yes	Yes	Yes	Yes
Color	Black/White	Black/White	Black/White	Black/White

Panasonic System Networks Company of America

Home and Business Communications

Dove Communications Inc 213-234-2500

DoveCom.com



Design and specifications subject to change without notice.

BTS090083SSr1